



**DQ 12000 TE SYSTEM  
CONSISTS OF:**

System parameters for 12000 btu when:  
@ 38°F suction & 90°F ambient temperature with a 10°  
temperature differential of air flow over fan coil

<b>Outdoor Condensing Unit:</b>	CU 120
<b>Horsepower:</b>	1
<b>Refrigerant:</b>	R134a
<b>Voltage:</b>	208-230/1/60
<b>MCA (Amps):</b>	9.6
<b>Length (In.):</b>	48 1/8"
<b>Width (In.):</b>	18 3/4"
<b>Height (In.):</b>	29 1/4"
<b>Connection Suction (In.):</b>	5/8
<b>Connection Liquid (In.):</b>	3/8
<b>Compressor:</b>	RS70C1EPFV
<b>Oil:</b>	Polyol Ester
<b>Receiver Capacity (90% full):</b>	11
<b>LTL Only:</b>	Yes
<b>Shipping Weight (Lbs.):</b>	305
<b>Maximum Fuse:</b>	15

**Evaporator:**

	2/DQ 345
<b>Part No.:</b>	
<b>Voltage:</b>	115v
<b>MCA (Amps):</b>	0.06a
<b>Length (In.):</b>	23"
<b>Width (In.):</b>	17.50"
<b>Height (In.):</b>	10.75"
<b>Shipping Weight (Lbs.):</b>	40 lbs.
<b>Connection Suction (In.):</b>	0.50"
<b>Connection Liquid (In.):</b>	3/8"
<b>Drain Line (In.):</b>	3/8"
<b>CFM:</b>	580

**System Line Set:****Between Coils:**

<b>Suction (In.):</b>	3/8"
<b>Liquid (In.):</b>	1/2"

**After "T"**

<b>Suction:</b>	5/8"
<b>Liquid:</b>	3/8"